

EXPLORER UL-600

(Also known as the Bushbaby Explorer and the Explorer)

Specifications

General

Available as a factory-built fly-away aircraft, as a complete kit, sub-kits, or any configuration in-between

Certification basis LTF-UL 2019 and ASTM F2245-16c

Fuel capacity (L) 105 Unusable fuel (L) 5

Endurance 5hr with 30min reserve Range 450nm with 30min reserve

Average fuel consumption Rotax 912 ULS (L/hr) 18

Cockpit width widest point (m) 1,092 (43")

Total length (m) FRL Level 5,915

Wing Span (m) 9,22

Wing Area (m²) 12,03

Wing MAC (m) 1,305

Seats 2 side by side

Wheel track (m) 1,73

Dual controls Standard (Dual sticks and dual rudder pedals)

2,625

(co-pilot brakes not included - extra)

Weights and Loads

Height (m) FRL level

Empty Weight (kg) (options dependent)	350kg - 380kg
Useful load	250kg - 220kg

MTOW (kg) 600

Min TOW (kg) 446

Baggage capacity (kg) 30

Baggage volume (m³) 0.1

Limit Positive design load factor (g) +4

Limit Negative design load factor (g) -2

Ultimate design load factors +6/-3

©2019 Kitplanes for Africa (Pty) Ltd ZAR

Built for the Bush



Powerplant

Engine choices Rotax 912UL, Rotax 912 ULS, KFA 912 ULST,

Rotax 914

Hp range 80, 100, 122, 115

Propeller choices FP-Propeller, Warp drive. Ground adjustable,

In-Flight Adjustable or Constant speed. 72"

Performance

(With Rotax 912 ULS and fixed pitch prop)

80
100
800
38
35
33
70-100
117
84
+5.06
14000
20

Other

Tyres standard (Mainwheel) 6.00x6 Aero trac or Aero trainer

Tyre Standard (Nose Wheel) 15 x 6.00/6
Tailwheel Matco 8"

Vortex Generators on wing Stolspeed VG's


Speed fairings on lift struts, jury struts and HT

struts





Extra options

- -Cabin heating
- -Cabin lighting
- -Navigation lights
- -Landing lights
- -Single or dual EFIS
- -Transponder
- -Backup fuel pump for 912UL and ULS
- -Rescue system
- -Co-pilot brakes
- -Glider tow hook
- -Full carbon package
- -Carbon instrument panel
- -Luxury interior (Alcantara, cloth or leather upholstery)
- -22" or 26" tyres with 6" wheels
- -27,5" with 8" wheels
- -Single or dual caliper brakes
- -Wheel spats (pants) only 6" tyres
- -Nose wheel










©2019 Kitplanes for Africa (Pty) Ltd ZAR **Built for the Bush**





©2019 Kitplanes for Africa (Pty) Ltd ZAR **Built for the Bush**







©2019 Kitplanes for Africa (Pty) Ltd ZAR **Built for the Bush**



